

## CONTENTS

LIST OF MAIN ABBREVIATION AND CONDITIONAL DEFINITIONS	
PREFACE .....	13
INTRODUCTION .....	14
Refernces to introduction.....	19
<b>CHAPTER 1. PLACE OF INDUCTION SENSORS IN THE GENERAL SYSTEM OF TECHNICAL DISAGNOSTICS.....</b>	<b>31</b>
1.1. Definition of the concept of “sensor”.....	31
1.2. General classification of sensors, induction ones in particular.....	36
1.3. Generalized scheme of technical diagnostics systems.....	42
1.4. Systematization of directions of objects, media and systems diagnostics.....	44
1.5. Model and functional diagram of the induction sensor for technical diagnostics systems.....	46
1.6. The induction sensor and its matching with the electromagnetic field of the source of the diagnostic object .....	49
Refernces to chapter 1 .....	54
<b>CHAPTER 2. THE INDUCTION SENSOR AS ONE OF THE MAGNETIC MEASURING TRANSDUCERS .....</b>	<b>60</b>
2.1. An analysis of the current state of the problem of construction of low-threshold magnetic sensors .....	60
2.2. Brief classification of magnetic measuring sensors and their main characteristics .....	61
2.3. Estimation of the threshold of sensitivity of the main types of modern magnitometric sensors .....	64
2.3.1. Mechanical magnitometric sensors .....	66
2.3.2. Quantum magnitometric sensors.....	67
2.3.3. Galvanomagnetic magnitometric sensors .....	68
2.3.4. Induction sensors .....	68
2.3.5. Superconducting magnitometric sensors .....	74
2.4. Areas of rational use of passive induction sensors .....	76
Refernces to chapter 2 .....	79
<b>CHAPTER 3. INDUCTION SENSOR – MAIN PARAMETERS AND CHARACTERISTICS .....</b>	<b>91</b>
3.1. Principle of action, basic parameters, equivalent schemes of the induction sensors .....	91
3.2. Dynamic characteristics of induction sensors.....	95
3.2.1. The unloaded induction sensor (open-circuit mode).....	95
3.2.2. The loaded induction sensor .....	107
3.3. Impedance characteristics of the induction sensor .....	112

3.4. Potential power and signal-to-noise ratio – energy criteria for evaluating the efficiency of induction sensors .....	119
3.5. Conditions for obtaining the maximum bandwidth characteristics of the induction sensor .....	121
References to chapter 3 .....	124
<b>CHAPTER 4. THE DEMAGNETIZATION COEFFICIENT OF SENSOR FERROMAGNETIC CORES .....</b>	
4.1. The coefficient of demagnetization of the core and its physical content .....	126
4.2. Mathematical model of cylindrical ferromagnetic core and its demagnetization coefficient.....	128
4.3. Demagnetization coefficient of the prismatic ferromagnetic core .....	134
4.4. Demagnetization coefficient of hollow cylindrical core.....	138
References to chapter 4.....	153
<b>CHAPTER 5. INVESTIGATION OF INFLUENCE OF CORE GEOMETRY ON ITS PARAMETERS.....</b>	
5.1. Magnetic parameters of the core .....	157
5.2. Core permeability in the central cross-section.....	157
5.3. The law of distribution of magnetic induction along a core .....	160
5.4. The reduced specific moment of the core .....	163
5.5. Coefficient of core material use .....	165
5.6. Quality factor of the ferromagnetic core.....	166
5.7. Instability of the core permeability.....	167
References to chapter 5.....	170
<b>CHAPTER 6. DEPENDENCE OF CYLINDRICAL CORE PARAMETERS ON ITS GEOMETRY .....</b>	
6.1. Changing the diameter of a core with constant length .....	172
6.2. Changing the length of a core with constant diameters.....	178
6.3. The length and diameter of a core vary simultaneously .....	181
6.4. On the optimal geometry of a cylindrical core at its constant volume.....	181
6.5. Dependence of hollow cylindrical core parameters on its geometry.....	185
References to chapter 6.....	195
<b>CHAPTER 7. ELECTRICAL PARAMETERS OF THE INDUCTION SENSOR.....</b>	
7.1. Magnetic moment of induction sensor without core with single-layer and multilayer coils .....	197
7.2. Inductance of the frame induction sensor.....	199
7.3. Relative magnetic permeability of the induction sensor and its full magnetic moment.....	200
7.4. Relative magnetic permeability of the induction sensor coil and its complete inductance.....	205

7.5. Capacity of the induction sensor.....	210
7.6. Loss resistance of the induction sensor .....	216
7.7. The quality factor of the induction sensor .....	224
Refernces to chapter 7 .....	230
<b>CHAPTER 8. TYPES OF INDUCTION SENSORS.....</b>	<b>233</b>
8.1. Ferromagnetic and frame inductive sensors .....	233
8.1.1. Electromagnetic parameters of the ferromagnetic induction sensors.....	233
8.1.2. Electromagnetic parameters of the frame induction sensors .....	236
8.2. Comparison of ferromagnetic and frame induction sensors with the same threshold of sensitivity .....	242
8.2.1. Power coefficient of the frame induction sensor .....	246
8.2.2. Power coefficient of the ferromagnetic induction sensor.....	247
8.2.3. Comparison of the mass of frame and ferromagnetic induction sensors with equal power coefficients .....	249
8.3. Comparison of the efficiency of frame and ferromagnetic induction sensors with the same magnetic field sensitivity .....	254
8.4. Single-frame induction sensors.....	261
Refernces to chapter 8 .....	268
<b>CHAPTER 9. PARAMETERS OF FRAME INDUCTION SENSORS IN THE MAGNETIC FIELD OF SOURCES WITH INHOMOGENEOUS SPACE STRUCTURE.....</b>	<b>271</b>
9.1. Magnetic field of infinitely long rectilinear current above the conducting medium .....	271
9.2. Determination of the electromotive force of the frame induction sensor near the linear conductor with current.....	276
9.2.1. Solenoid frame sensor.....	277
9.2.2. Spiral frame sensor .....	281
9.3 Optimal geometry of the frame sensor in the magnetic field of a linear conductor.....	283
9.4. Choosing the area of a frame induction sensor .....	288
9.5. Influence of non-identity of induction sensors on the accuracy of measurement of currents in linear conductors .....	293
Refernces to chapter 9 .....	298
<b>CHAPTER 10. NOISE PARAMETERS OF INDUCTION SENSORS AND PREAMPLIFIERS.....</b>	<b>301</b>
10.1. Noise-signal equivalent scheme of the induction sensor .....	301
10.2. Noise equivalent scheme of the preamplifiers and their noise parameters .....	303
10.3. Correlation coefficient and correlation conductivity between equivalent amplifier noise sources.....	309

10.4. Noise parameters of the preamplifier with a parallel negative voltage feedback .....	318
10.5. Noise parameters of the amplifier with the shunted input .....	324
10.6. Measurement of noise parameters of preamplifiers .....	329
Refernces to chapter 10 .....	341
<b>CHAPTER 11. MATCHING OF INDUCTION SENSOR WITH LOAD .....</b>	<b>344</b>
11.1. Fundamentals of the theory of matching induction sensor with a load and the conditions for achieving maximum efficiency .....	344
11.2. Energy matching and its features .....	345
11.3. Concept of noise factor. Ways to minimize it .....	364
11.4. Noise matching and its features.....	369
11.5. Dependence of the noise factor on the phase angles of the impedance of the induction sensor and the coefficient of correlation .....	373
11.6. Features of realization of noise matching and conjugation of sensors with different character of output impedance using a transformer .....	384
11.7. Some general conclusions on energy and noise matching and conjugation of induction sensors .....	392
Refernces to chapter 11 .....	404
<b>CHAPTER 12. INDUCTION SENSORS WITH FREQUENCY INDEPENDENCE AND LINEAR AMPLITUDE-FREQUENCY RESPONSE.....</b>	<b>406</b>
12.1. A general approach to the creation of induction sensors with linear amplitude-frequency response.....	406
12.2. Review of technical solutions for realization of induction sensors with “flat” amplitude-frequency response.....	411
12.2.1. Use of a low-noise amplifier with low input impedance.....	416
12.2.2. Shunting by a resistor with low resistance .....	416
12.2.3. Application of voltage feedback .....	419
12.2.4. Application of field feedback.....	424
12.2.5. Induction sensor with integrating circuit.....	427
12.2.6. Application of a special correction device .....	430
12.3. Induction sensor with linear amplitude–frequency response in critical mode.....	432
Refernces to chapter 12 .....	441
<b>EPILOGUE .....</b>	<b>443</b>